



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ITA010006
SITENAME Paludi di Capo Feto e Margi Spanò

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type C	1.2 Site code ITA010006	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Paludi di Capo Feto e Margi Spanò

1.4 First Compilation date 1998-06	1.5 Update date 2013-10
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Siciliana Ass.to Territorio e Ambiente Servizio 4°
Address: Via Ugo La Malfa 169 - 90146 Palermo
Email:

1.7 Site indication and designation / classification dates

Date site classified as SPA:	1995-03
National legal reference of SPA designation	No data

Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data

National legal reference of SAC designation:

No data

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

12.4977777777778

Latitude

37.6891666666667

2.2 Area [ha]:

350.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITG1

Sicilia

2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
1150			6.91			D			
1170			0.1			D			
1210			12.71			C	C	B	B
1240			10.63			B	C	B	B
1310			0.1			C	C	B	B
1410			69.58			B	C	B	B

1420		85.42				C		C	A	B
1510		0.1				B		C	B	B
2110		0.1				C		C	B	B
2120		5.63				B		B	C	C
2210		6.18				B		B	C	C
2230					P	D				
5330		15.94				B		C	B	B
6220		0.1				D				

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A229	Alcedo atthis			w				C	DD	C	B	C	B
B	A229	Alcedo atthis			c				C	DD	C	B	C	B
B	A029	Ardea purpurea			c				P	DD	C	B	C	B
B	A024	Ardeola ralloides			c				P	DD	C	B	C	B
B	A222	Asio flammeus			c				P	DD	C	B	C	B
B	A060	Aythya nyroca			c	13	13	i		G	C	B	C	B
B	A021	Botaurus stellaris			c				V	DD	C	B	C	B
B	A133	Burhinus oedicnemus			c				P	DD	C	A	C	B
B	A243	Calandrella brachydactyla			c				P	DD	B	A	C	B
R	1224	Caretta caretta			c				P	DD	C	B	B	B
B	A138	Charadrius alexandrinus			p				P	DD	D			
B	A197	Chlidonias niger			c				C	DD	C	A	C	A

B	A081	Circus aeruginosus			c				P	DD	C	A	C	B
B	A082	Circus cyaneus			w				P	DD	C	B	C	B
B	A082	Circus cyaneus			c				P	DD	C	B	C	B
B	A084	Circus pygargus			c	6	6	i		G	C	B	C	B
B	A122	Crex crex			c				R	DD	D			
B	A027	Egretta alba			w				R	DD	C	A	C	A
B	A027	Egretta alba			c				P	DD	C	A	C	A
B	A026	Egretta garzetta			w				P	DD	C	A	C	B
B	A026	Egretta garzetta			c				C	DD	C	A	C	B
R	5370	Emys trinacris			p				R	DD	C	B	B	B
B	A098	Falco columbarius			c				P	DD	C	B	C	C
B	A103	Falco peregrinus			w	1	2	i		M	D			
B	A103	Falco peregrinus			c				R	DD	D			
B	A153	Gallinago gallinago			w				C	DD	C	A	C	A
B	A153	Gallinago gallinago			c				C	DD	C	A	C	A
B	A154	Gallinago media			c				P	DD	C	A	C	A
B	A189	Gelochelidon nilotica			c				P	DD	C	B	C	C
B	A135	Glareola pratincola			c				R	DD	C	A	C	B
B	A127	Grus grus			c	30	500	i		G	B	A	C	B
B	A127	Grus grus			w	2	2	i		G	B	A	C	B
B	A131	Himantopus himantopus			p	3	3	p		G	B	A	C	A
B	A131	Himantopus himantopus			c	3	3	p		G	B	A	C	A
B	A022	Ixobrychus minutus			c				P	DD	C	B	C	B
B	A341	Lanius senator			c				P	DD	C	B	C	B
B	A180	Larus genei			w				V	DD	C	A	C	A
B	A180	Larus genei			c				R	DD	C	A	C	A
B	A176	Larus melanocephalus			c				P	DD	C	B	C	B
B	A176	Larus melanocephalus			w				P	DD	C	B	C	B
B	A152	Lymnocyptes minimus			c				P	DD	C	B	C	B
B	A057	Marmaronetta angustirostris			c				V	DD	D			
B	A073	Milvus migrans			c				P	DD	C	B	C	C

B	A023	Nycticorax nycticorax			c				P	DD	C	B	C	B
B	A094	Pandion haliaetus			c				P	DD	C	A	C	B
B	A072	Pernis apivorus			c				P	DD	C	C	C	C
B	A392	Phalacrocorax aristotelis desmarestii			w	2	5	i		G	C	B	C	B
B	A392	Phalacrocorax aristotelis desmarestii			c				P	DD	C	B	C	B
B	A151	Philomachus pugnax			c	300	300	i		G	C	A	C	A
B	A035	Phoenicopterus ruber			c	20	20	i		G	C	B	C	B
B	A034	Platalea leucorodia			c	2	32	i		G	C	A	C	A
B	A034	Platalea leucorodia			w				P	DD	C	A	C	A
B	A032	Plegadis falcinellus			c				P	DD	C	A	C	A
B	A140	Pluvialis apricaria			w	38	140	i		G	C	A	C	B
B	A140	Pluvialis apricaria			c				C	DD	C	A	C	B
B	A120	Porzana parva			c				P	DD	C	B	C	B
B	A119	Porzana porzana			c				R	DD	C	B	C	B
B	A121	Porzana pusilla			c				V	DD	D			
B	A132	Recurvirostra avosetta			c				P	DD	C	A	C	A
B	A275	Saxicola rubetra			w				C	DD	C	B	C	B
B	A275	Saxicola rubetra			c				C	DD	C	B	C	B
B	A195	Sterna albifrons			c				C	DD	C	B	C	B
B	A193	Sterna hirundo			c				R	DD	C	B	C	B
B	A191	Sterna sandvicensis			c				P	DD	C	A	C	A
B	A191	Sterna sandvicensis			w				C	DD	C	A	C	A
B	A166	Tringa glareola			c				C	DD	C	A	C	A

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with

some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site			Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max			C R V P	IV	V	A	B	C
I		Acrotylus longipes						P			X			
P		Aeluropus lagopoides						P			X			
P		Althenia filiformis						P			X			
I		Anoxia scutellaris argentea						R						X
A	1201	Bufo siculus						R				X		
I		Cephalota littorea						P			X			
R		Chalcides ocellatus tiligugu						P					X	
P		Chlorarachnion reptans Geitler						P						X
I		Conocephalus conocephalus						R						X
P		Cressa cretica						P						X
M		Crocidura sicula						C				X	X	
I		Ctenodecticus siculus						R				X		
I		Ctenodecticus siculus						R				X		
A	6287	Discoglossus pictus pictus						V			X	X		
R		Elaphe lineata						P						X
I		Eurinebria complanata						R						X
I		Hoplia attilioi						V				X		
A		Hyla intermedia						R					X	
M		Hypsugo savii						R					X	
M	1344	Hystrix cristata						C					X	
P		Ipomoea sagittata						P			X			
R		Lacerta bilineata						P						X

B	A341	Lanius senator						P						X	
P		Limonium ferulaceum						V			X				
P		Limonium halophilum						R							X
P		Limonium mazarae						P				X			
R		Natrix natrix sicula						P							X
P		Ophrys bombyliflora						R						X	
P		Ophrys lutea subsp. lutea						R						X	
P		Ophrys lutea subsp. minor						R						X	
P		Ophrys vernixia subsp. vernixia						R						X	
P		Orchis collina						R						X	
P		Orchis italica						R						X	
I		Pachypus caesus						V				X			
I		Percus lacertosus						P				X			
I		Percus lineatus						R							X
M	2016	Pipistrellus kuhli						R	X						
M	1309	Pipistrellus pipistrellus						R	X						
R	1244	Podarcis wagleriana						P			X	X	X		
I		Polyphylla ragusae						V				X			
I		Pterolepis elymica						R						X	
B	A275	Saxicola rubetra						P						X	
P		Serapias parviflora						R						X	
I		Stenoniscus carinatus						R							X
B	A048	Tadorna tadorna						C						X	
P		Triglochin bulbosa L. subsp. barrelieri						P							X
I		Tropidopola cylindrica						P							X
I		Tylos europaeus						R							X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N03	72.0
N12	1.0
N23	2.0
N05	15.0
N09	5.0
N08	5.0
Total Habitat Cover	100

Other Site Characteristics

Il SIC comprende delle aree costiere, disgiunte in tre corpi (Capo Feto e Margi Spanò, zona costiera di Punta Parrino e Margi Milo), comprese tra Capo Feto e Torre Scibiliana; nel complesso l'estensione complessiva supera di poco i 300 ettari. Si tratta di superfici palustri separate dal mare da uno stretto e basso cordone dunale, caratterizzate da un substrato impermeabile, data l'elevata concentrazione di limo e argille; infatti, nel periodo invernale le depressioni vengono inondate dalle acque marine, cui si aggiungono apporti di acque dolci provenienti dall'interno. Nel periodo estivo le stesse depressioni tendono parzialmente a prosciugarsi, generando così degli habitat alquanto peculiari ed espressivi, di particolare rilevanza naturalistico-ambientale; ospitano interessanti aspetti floristico-fitocenotici, oltre a rappresentare delle importanti oasi per la fauna, stanziale e migratoria. Dal punto di vista amministrativo, l'area di Capo Feto e dei Margi Spanò interessa il territorio comunale di Mazara del Vallo, mentre i biotopi di Punta Parrino e dei Margi Milo (in prossimità di Petrosino) fanno riferimento al comune di Marsala. Dai dati termopluviometrici delle vicine stazioni di Trapani e Marsala risultano precipitazioni medie annue comprese fra i 483 ed i 500 mm, mentre le temperature medie annue superano i 21°C. Dal punto di vista bioclimatico, il territorio rientra pertanto nel termomediterraneo inferiore secco inferiore. La vegetazione è preminentemente caratterizzata da varie formazioni alofitiche delle aree palustri (Brullo & Furnari, 1976; 1978).

4.2 Quality and importance

Complesso di aree umide costiere di grande importanza biologico-ambientale e fitocenotico, le quali ospitano numerose specie della avifauna stanziale e migratrice. Tra le specie della flora vascolare inserite in Liste Rosse regionali delle piante d'Italia di CONTI et al. (1997) e nell'Inventario delle specie a rischio della Sicilia di RAIMONDO et al. (1996), figurano le endemiche *Atriplex tornabeni*, *Limonium halophilum*, *Limonium mazararum*, *Limonium ferulaceum*, *Ruppia maritima* subsp. *drepanensis*, oltre a varie entità rare o di interesse fitogeografico (*Cressa cretica*, *Salicornia patula*, *Ipomoea sagittata*, *Spartina juncea*). L'area delle paludi del mazarrese presenta una elevata importanza soprattutto come luogo di sosta, anche temporanea, di numerose specie di uccelli durante le migrazioni. Numerose sono anche le specie che svernano. Alcune specie di insetti endemici sono esclusive di quest'area strettamente legate ecologicamente all'ambiente palustre.

4.5 Documentation

BRULLO S., FURNARI F., 1976 - Le associazioni vegetali degli ambienti palustri costieri della Sicilia. - Not.

Fitosoc., 11:1-43, Bologna. BRULLO S., FURNARI F., 1978 - La vegetazione palustre in Sicilia. - Atti 2° Conv. Sicil. Ecol. Ambienti umidi costieri, pp. 29-39, Noto. CERFOLLI F., PETRASSI F. & PETRETTI F. (EDS), 2002 - Libro Rosso degli Animali d'Italia - Invertebrati. WWF Italia - Onlus Roma. CONTI F., MANZI A., PEDROTTI F., 1992 - Libro rosso delle piante d'Italia. - Società Botanica Italiana e Associazione Italiana per il World Wildlife Fund, Camerino, 637 pp. CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. - Società Botanica Italiana e Associazione Italiana per il World Wildlife Fund, pp. 104. Camerino (MC). FREI M., 1937 - Studi fitosociologici su alcune associazioni litorali in Sicilia (Ammophiletalia e Salicornietalia). - N. Giorn. Bot. Ital. n.s. 44(2): 273-294. GRIMMETT R.F.A & JONES T.A., 1989 - Important Bird Area in Europe. ICBP Technical Publication N.9, 900 pp. IAPICHINO C. & MASSA B., 1989 - The Birds of Sicily. B.O.U. Checklist n.11, London. LO VALVO F. 1998 - Status e conservazione dell'erpetofauna siciliana. Naturalista sicil. XXII: 53-71. LO VALVO M., MASSA B. & SARÀ M., 1993 - Uccelli e paesaggio in Sicilia alle soglie del terzo millennio. Naturalista sicil. XVII:1-376. RAIMONDO F.M., GIANGUZZI L., ILARDI V., 1994 - Inventario delle specie "a rischio" nella flora vascolare nativa della Sicilia. - Quad. Bot. Ambientale Appl., 3 (1992): 65-132. RAIMONDO F.M., GIANGUZZI L., VENTURELLA G., LO VALVO M., 1990 - Indagine preliminare sul patrimonio biologico-ambientale delle coste siciliane. - Quad. Bot. Ambientale Appl., 1: 131-182. RIGGIO S. & MASSA B., 1975 - Problemi di conservazione della natura in Sicilia. 1° contributo per un'analisi della degradazione ambientale ed elenco delle aree dell'isola di maggiore interesse naturalistico. - Atti IV Simp. naz. Conserv. Natura, Bari, 2: 299-425. SOCIETAS HERPETOLOGICA ITALICA, 1996 - Atlante provvisorio degli Anfibi e Rettili italiani - Annali Mus. Civ. St. nat. G. Doria, Genova, 91: 95-178. SPARACIO I., 1993-1999 - Coleotteri di Sicilia. Vol. I, II, III. Ed. L'Epos. TUCKER G.M. & HEATH F.H., 1994 - Birds in Europe: their conservation status. Birdlife Conservation Series n.3 - Birdlife International, Cambridge.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	100.0				

designated at international level:

Type	Site name	Type	Cover [%]
Other	IBA 1998-2000: Zone Umide del Mazarese -162	*	80.0

6. SITE MANAGEMENT

6.2 Management Plan(s):

[Back to top](#)

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: Piano di gestione approvato con prescrizione Paludi di Capo fetò e Margi Spanò decreto n. 659 del 30/06/2009 Link: _____
<input type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

120 I NE - 121 IV NO 1:25000 Gauss-Boaga