



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ITA070017
SITENAME Sciare di Roccazzo della Bandiera

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type C	1.2 Site code ITA070017	Back to top
---------------	----------------------------	-----------------------------

1.3 Site name

Sciare di Roccazzo della Bandiera

1.4 First Compilation date 1998-06	1.5 Update date 2019-12
---------------------------------------	----------------------------

1.6 Respondent:

Name/Organisation:	Regione Siciliana Ass.to Territorio e Ambiente Servizio 4°
Address:	Via Ugo La Malfa 169 - 90146 Palermo
Email:	

1.7 Site indication and designation / classification dates

Date site classified as SPA:	1998-12
National legal reference of SPA designation	Decreto Assessore Ambiente 21 febbraio 2005
Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	2017-03
National legal reference of SAC designation:	DM 31/03/2017 - G.U. 93 del 21-4-2017

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 14.893611 Latitude 37.769167

2.2 Area [ha]: 2.3 Marine area [%]

2760.0 0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name
-------------------	-------------

2.6 Biogeographical Region(s)

Mediterranean (100.0%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
4090			1098.15		M	B	B	B	B
6220			31.64		P	D			
8220			0.1		M	C	C	C	C
8320			1241.82	1	M	B	B	C	B
91AA			177.22		M	B	B	B	B
9210			3.86		P	D			
9340			52.88		P	D			
9530			22.85		P	D			

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A413	Alectoris graeca whitakeri			p				C	DD	A	B	A	A
B	A091	Aquila chrysaetos			p				P	DD	C	B	C	A
B	A224	Caprimulgus europaeus			r				R	DD	C	B	A	B
B	A081	Circus aeruginosus			c				P	DD	C	B	B	C
B	A103	Falco peregrinus			p	1	1	p		M	C	B	C	A
B	A246	Lullula arborea			p				C	DD	C	B	C	B
B	A073	Miltvus migrans			c				P	DD	C	B	C	C
P	1905	Ophrys lunulata			p				P	DD	D			
B	A072	Pernis apivorus			c				P	DD	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max			IV	V	A	B	C	D
P		Aceras anthropophorum						V					X	
I		Adscita alpina italica						R						X
I		Agrilus albomarginatus						R						X
I		Agrilus globulifrons						R				X		
B	A221	Asio otus						P					X	

I		Attalus aetnensis					P				X	
I		Belomicrus italicus					C					X
I		Bembix oculata					C					X
I		Bembix rostrata					C					X
I		Biareolina lagopus					R					X
A		Bufo bufo spinosus					R				X	
B		Carduelis cannabina					C				X	
P		Centaurea parlatoris					R				X	
R		Chalcides c. chalcides					V					X
R	1274	Chalcides ocellatus					C	X				
I		Chrysantia viridissima					R					X
R	1284	Coluber viridiflavus					C	X				
R	1283	Coronella austriaca					C	X				
I		Ebaeus ruffoi					R				X	
I		Ectemnius massiliensis					R					X
I		Ectemnius meridionalis					C					X
R	1281	Elaphe longissima					R	X				
P		Euphorbia rigida					R					X
M	1363	Felis silvestris					P	X				
P		Genista aetnensis					R				X	
I		Glyptobothrus messinai					P				X	
I		Hipparchia hermione					R					X
M	1344	Hystrix cristata					P	X				
I		Isomira genistae					P					X
R	1263	Lacerta viridis					C	X				
M		Lepus corsicanus					P				X	
P		Linaria purpurea					C					X
I		Melitta tricincta					R					X
B		Monticola solitaria					C				X	
I		Nomada striata					R					X
P		Orchis quadripunctata					R				X	
I		Osmia submicans hebraea					R					X
I		Palmodes occitanicus					R					X
R	1250	Podarcis sicula					C	X				
I		Prionyx subfuscatus					R					X
I		Pyganthophora retusa					R					X
P		Quercus congesta					R				X	
P		Senecio ambiguus					R			X		
P		Senecio chrysanthemifolius					R				X	
I		Sphecodes albilabris albilabris					C					X
I		Sphecodes pellucidus					R					X
I		Tachysphex julliani					R					X
R		Vipera aspis					R				X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N15	5.0
N22	6.0
N23	2.0
N18	8.0

N09	11.0
N08	68.0
Total Habitat Cover	100

Other Site Characteristics

Si tratta di un'area interessata da colate laviche ancora ben visibili in massima parte risalente all'eruzione del 1843. Essa è ubicata sul versante occidentale dell'Etna fra i 900 e 1600 m, con numerosi conetti sparsi su tutta la superficie. La vegetazione è caratterizzata soprattutto da aspetti glareicoli o semiruprestri a copertura discontinua, in cui domina *Helichrysum italicum*, *Centranthus ruber* e *Senecio ambiguus*. Ai margini dell'area si rinvencono boscaglie a *Genista aetnensis* e formazioni boschive sempreverdi a *Quercus ilex* o caducifoglie a *Quercus congesta*. Si rinvencono anche in alcuni tratti formazioni a piccoli arbusti caratterizzati dalla presenza di *Euphorbia rigida*. Il bioclimate di questa area è compreso tra il mesomediterraneo e supramediterraneo subumido.

4.2 Quality and importance

Il sito presenta un'alternanza di campi lavici con interessantissime formazioni di lave a corde ed ipogei più o meno profondi. La fauna, sebbene non molto ricca e diversificata, annovera specie di notevole interesse scientifico e conservazionistico, soprattutto per quanto riguarda alcune specie di Rapaci. Di un certo interesse è anche l'entomofauna con specie che in Sicilia sono spesso localizzate soltanto sull'Etna. La vegetazione che colonizza le lave fisionomicamente ha poco rilievo in quanto costituita da piccoli cespugli sparsi. Solo in alcuni tratti marginali si ha una densa copertura arbustiva o boschiva che interessa le colate laviche più antiche.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	B02.03		i
L	F04.02		i
M	B02.04		i
L	G01.02		i
L	L01		o
M	F03.02.03		i
L	B07		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

4.4 Ownership (optional)

4.5 Documentation

BELLA S., RUSSO P. & PARENZAN P., 1996 - Contributi alla conoscenza della Lepidotterofauna siciliana III. Bombici e Sfingi - *Phytophaga*, 6: 85-109. BRUNO S., 1970 - Anfibi e Rettili di Sicilia (Studi sulla Fauna Erpetologica Italiana. XI) - Atti dell'Accademia Gioenia di Scienze Naturali, Catania, (serie VII), 2: 185-326. LO VALVO F., 1998 - Status e conservazione dell'erpetofauna siciliana - *Il Naturalista siciliano*, S. IV, 22 (1-2): 53-71. LO VALVO F. & LONGO A.M., 2001 - Anfibi e Rettili in Sicilia - WWF Sicilia, Palermo, 85 pp. LO VALVO M., MASSA B. & SARÀ M. (red.), 1993 - Uccelli e paesaggio in Sicilia alle soglie del terzo millennio - *Il Naturalista siciliano*, Palermo, 17 (suppl.): 1-371. MASSA B., LO VALVO M. & CATALISANO A., 1989 - Bird communities on Mount Etna (Italy, Sicily) - *Bollettino di Zoologia*, 56: 348-356. NOBILE V. & CAMPADELLI G., 1998 - Il genere *Sphecodes* Latreille, 1804 in Italia (Hymenoptera, Apoidea, Halictidae) - *Bollettino dell'Istituto di Entomologia "G. Grandi"*, Università di Bologna, 52: 85-103. NOBILE V. & TOMARCHIO S., 1998 - Contributo alla conoscenza degli Apoidei di Sicilia. XIV. La famiglia Melittidae (Insecta, Hymenoptera) - *Bollettino dell'Accademia Gioenia di Scienze Naturali, Catania*, 30 (353) (1997): 285-290. NOBILE V., 1988 - Contributo alla conoscenza degli Apoidei (Insecta, Hymenoptera) di Sicilia. I. I generi *Habropoda* Smith, *Tetralonia* Spinola (gruppo *ruficornis* F.), *Melecta* Latreille, *Eupavlovskia* Popov e *Thyreus* Panzer - *Animalia*, 14 (1987): 73-89. NOBILE V., 1989 - Contributo alla conoscenza degli Apoidei (Insecta, Hymenoptera) di Sicilia. II. Il genere *Osmia* Panzer 1806 - *Animalia*, 15 (1988): 159-173. NOBILE V., 1990 - Il genere *Anthidium* Fabricius 1804 e affini (Hymenoptera, Apoidea, Megachilidae) in Sicilia, con descrizione di *Pseudoanthidium alpinum gregoriense* subsp. n. - *Animalia*, 16 (1989): 131-145. NOBILE V., 1991 - Contributo alla conoscenza delle Api parassite (Insecta Hymenoptera) di Sicilia. II. Il genere *Nomada* Scopoli 1770, con descrizione di una nuova specie - *Animalia*, 17 (1990): 219-243. NOBILE V., 1992 - Contributo alla conoscenza delle Api solitarie (Insecta, Hymenoptera) di Sicilia. IV. La tribù *Anthophorini* Dahlbom 1835 - *Animalia*, 18 (1991): 237-259. POLI MARCHESE & PATTI G., 2000 - Carta della vegetazione dell'Etna - Firenze. SABELLA G. & SPARACIO I., 2004. - Il ruolo dei Parchi siciliani nella conservazione dei taxa di insetti di particolare interesse naturalistico (Insecta Coleoptera et Lepidoptera Rhopalocera) - *Il Naturalista siciliano*, S. IV, 28 (1): 477-508. TURRISI G.F. & VACCARO A., 1998 - Contributo alla conoscenza degli Anfibi e dei Rettili di Sicilia - *Bollettino dell'Accademia Gioenia di Scienze Naturali, Catania*, 30 (353) (1997): 5-88. TURRISI G.F. & VACCARO A., 2004 - Anfibi e Rettili del Monte Etna (Sicilia orientale) - *Bollettino dell'Accademia Gioenia di Scienze Naturali, Catania*, 36 (363) (2003): 5-103.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT04	100.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT04	Parco Naturale Regionale dell'Etna	-	6.0

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Parco regionale dell'Etna
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Piano di gestione approvato con prescrizione Monte Etna decreto n. 670 del 30/06/2009 Link: _____
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

59100 59110 59120 59060 59070 59080 59020 59030 59040 60010 42150 42160 43130 42110 42120 43090 42070 42080 43050 1:10000 UTM32N WGS84
--