



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ITA010010
SITENAME Monte San Giuliano

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code ITA010010	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Monte San Giuliano

1.4 First Compilation date	1.5 Update date
1998-06	2013-10

1.6 Respondent:

Name/Organisation: Regione Siciliana Ass.to Territorio e Ambiente Servizio 4°
Address: Via Ugo La Malfa 169 - 90146 Palermo
Email:

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	2015-12

		431.57				B		C	B	B
6220		119.32				B		C	B	B
8210		30.32				B		C	A	A
9340		20.43				C		C	C	C

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A243	Calandrella brachydactyla			r				P	DD	B	B	B	B
P	1468	Dianthus rupicola			p				C	DD	C	B	C	B
B	A103	Falco peregrinus			p				P	DD	A	B	B	B
B	A341	Lanius senator			c				P	DD	D			
B	A278	Oenanthe hispanica			c				P	DD	D			
P	1905	Ophrys lunulata			p				V	DD	B	B	C	C
B	A337	Oriolus oriolus			c				P	DD	D			
B	A274	Phoenicurus phoenicurus			c				P	DD	D			
B	A210	Streptopelia turtur			c				P	DD	D			

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with

some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site			Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max			C R V P	IV	V	A	B	C
P		Allium obtusiflorum						P			X			
P		Alyssum minus						R						X
P		Ambrosinia bassii						R			X			
P		Anacamptis pyramidalis						R					X	
P		Antirrhinum siculum						R				X		
P		Asperula aristata scabra						C						X
P		Asperula rupestris						R			X			
P		Barlia robertiana						R					X	
P		Bellevallia dubia subsp. dubia						C				X		
P		Biscutella maritima						C				X		
P		Bivonea lutea						R			X			
P		Bothriochloa panormitana						P			X			
P		Brassica villosa subsp. drepanensis						R			X			
P		Carlina sicula subsp. sicula						C				X		
P		Carthamus pinnatus (= Carduncellus pinnatus)						C						X
P		Centaurea erycina						V				X		
P		Centaurea ucriae subsp. ucriae						R			X			
P		Colchicum bivonae						C						X
P		Colchicum cupanii						C						X

P		Convolvulus tricolor subsp. cupanianus						R							X
P		Coris monspeliensis L.						V			X				
P		Crepis bursifolia						R				X			
P		Crocus longiflorus						R				X			
P		Cyclamen hederifolium						R					X		
P		Cyclamen repandum						R					X		
P		Cymbalaria pubescens						R			X				
P		Delphinium emarginatum subsp. emarginatum						R			X				
P		Dianthus sicutus						R				X			
P		Ephedra nebrodensis (=Ephedra major subsp.						V							X
P		Erica sicula subsp. sicula						V			X				
P		Eryngium bocconeii						R				X			
P		Erysimum bonannianum						R				X			
P		Euphorbia bivonae						C			X				
P		Euphorbia ceratocarpa						C				X			
P		Euphorbia dendroides						C					X		
P		Globularia alypum						R							X
P		Helianthemum nummularium						R							X
P		Helichrysum rupestre var. rupestre						C				X			
P		Hieracium cophanense						V			X				
M	1344	Hystrix cristata						R	X						
P		Iberis semperflorens						R			X				
P		Iris pseudopumila						R			X				

P		papilionacea var. grandiflora						R						X	
P		Orchis tridentata						R						X	
P		Paeonia mascula subsp. russii						R							X
P		Phyllitis sagittata						V				X			
P		Pimpinella anisoides						R					X		
R	1244	Podarcis wagleriana						P	X						
P		Polygala preslii						R					X		
P		Prospero obtusifolia (= Scilla obtusifolia)						R				X			
P		Prunus mahaleb subsp. mahaleb						R							X
P		Ranunculus spicatus ssp. rupestris (=						R				X			
P		Rhamnus lycioides subsp. oleoides						V							X
P		Rosa sicula						V							X
P	1849	Ruscus aculeatus						R		X					
P		Saxifraga hederacea						R							X
P		Scutellaria rubicunda subsp. rubicunda						R							X
P		Serapias vomeraea						R						X	
P		Seseli bosconi subsp. bosconi						R					X		
P		Thalictrum calabricum						R					X		
P		Thymus spinulosus						R					X		
P		Tragopogon porrifolius subsp. cupanii						R					X		
I		Tychobytinus effeminatus						R					X		
P		Xeranthemum inapertum						R							X
R		Zamenis lineatus						P						X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N16	1.0
N09	44.0
N20	25.0
N05	1.0
N23	4.0
N15	1.0
N22	8.0
N08	12.0
N18	1.0
N21	3.0
Total Habitat Cover	100

Other Site Characteristics

L'area del SIC, estesa per circa 987 ettari, include l'interessante promontorio di Monte S. Giuliano (786 m s.l.m.), alla cui sommità si localizza l'abitato di Erice, antico centro di rilevante interesse storico. Si tratta di un rilievo caratterizzato da substrati di natura carbonatica e silico-clastica, dalla morfologia talora piuttosto aspra ed accidentata, con irte falesie talora alquanto ripide. Per quanto concerne le caratteristiche bioclimatiche, dal confronto fra le registrazioni termopluviometriche della stazione litoranea di Trapani, confrontate con quelle rilevate ad Erice, risulta che il territorio si colloca fra le fasce dal termomediterraneo semiarido superiore, delle aree litoranee, al mesomediterraneo subumido superiore, della parte più elevata. Il paesaggio vegetale si presenta alquanto modificato dall'intervento antropico, a causa delle intense utilizzazioni del passato (taglio, coltivi, pascolo); a partire dagli anni '20, sono stati effettuati vari interventi di riforestazione, attraverso l'utilizzo di varie essenze forestali, mediterranee ed esotiche, in ogni caso del tutto estranee al paesaggio forestale autoctono, prevalentemente da riferire alle serie dell'Olivastro (*Oleo-Euphorbia dendroides* sigmetum), della Roverella (*Oleo-Quercus virgiliana* sigmetum), del Leccio (*Pistacia-Quercus virgiliana* sigmetum e *Rhamnus-Quercus ilicis* sigmetum).

4.2 Quality and importance

Si tratta di un'area caratterizzata da condizioni climatiche assai diversificati in spazi assai brevi, costituendo un biotopo di particolare rilievo, pur essendo stato antropizzato da epoche remotissime. Alquanto interessanti risultano altresì gli aspetti di vegetazione rupicola, caratterizzate da diverse entità endemiche, di notevole interesse floro-faunistico e fitocenotico, spesso indicata da vari autori fra gli esempi più significativi per esaltare la biodiversità della fascia costiera della Sicilia occidentale, oltre che dell'intera Regione mediterranea. Il paesaggio si presenta alquanto denudato, ampiamente caratterizzato da aspetti di vegetazione a *Chamaerops humilis* o ad *Ampelodesmos mauritanicus*; ben rappresentate sono le formazioni casmofitiche, localizzate lungo le rupi costiere e dell'interno, nel cui ambito è rappresentato un elevato

numero di specie endemiche e/o di rilevante interesse fitogeografico. di *Centaurea erycina*, descritta recentemente, è un'entità esclusiva, legata all'ambiente rupicolo. Nell'elenco riportato nella sezione 3.3, vengono citati anche alcuni interessanti elementi floristici, la cui presenza nel territorio è ritenuta di particolare interesse fitogeografico (D). Il sito ospita rare specie di falconiformi.

4.3 Threats, pressures and activities with impacts on the site

4.4 Ownership (optional)

4.5 Documentation

ABATE B., DI MAGGIO C., INCANDELA A. & RENDA P., 1993 - Carta Geologica dei Monti di Capo San Vito (scala 1/25000). - Dipartimento di Geologia e Geodesia, Palermo. Cerfolli F., Petrassi F. & Petretti F. (Eds), 2002 - Libro Rosso degli Animali d'Italia - Invertebrati. WWF Italia - Onlus Roma. CONTI F., MANZI A., PEDROTTI F., 1992 - Libro rosso delle piante d'Italia. - Società Botanica Italiana e Associazione Italiana per il World Wildlife Fund, Camerino, 637 pp. CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. - Società Botanica Italiana e Associazione Italiana per il World Wildlife Fund, pp. 104. Camerino (MC). GRUPPO DI PIANIFICAZIONE TERRITORIALE E DELLE INFORMAZIONI TERRITORIALI, 1996 - Vincolo di terreni per scopi idrogeologici. Carta di sintesi schematica (scala 1: 500.000) - Direzione Urbanistica - Assessorato Territorio e Ambiente della Regione Siciliana. GUSSONE G., 1827-1834 - Supplementum ad Florae Siculae Prodromum, quod et specimen florae insularum Siciliae ulteriori adjacentium. - Ex Regia Typografia, Neapoli, 2 fascicoli. GUSSONE G., 1842-45 - Florae Siculae Synopsis exhibens plantas vasculares in Sicilia insulisque adjacentibus hucusque detectas secundum systema Linneanum dispositas. - Typ. Tramater. Neapoli. 2 voll. Lo Valvo F. 1998 - Status e conservazione dell'erpeto fauna siciliana. Naturalista sicil. XXII: 53-71. Lo Valvo M., Massa B. & Sarà M., 1993 - Uccelli e paesaggio in Sicilia alle soglie del terzo millennio. Naturalista sicil. XVII: 1-376. LOJACONO-POJERO M., 1888-1909 - Flora Sicula o descrizione delle piante spontanee o indigenate in Sicilia. - Palermo, 5 voll. OTTONELLO D., SALONE A. 1994 - Contributo alla flora lichenica del Monte Erice (Provincia di Trapani). Naturalista Sicil. s. 4, 28 (3-4): 197-215. Pavan M. (a cura) 1992 - Contributo per un "Libro Rosso" della fauna e della flora minacciate in Italia. Ist. Entom. Univ. Pavia 720 pp. RAIMONDO F.M., BANCHEVA S. T., ILARDI V., 2004 - *Centaurea erycina* (Asteraceae) a new species from NW sicily. - *Bocconea*. 17: 299-306. RAIMONDO F.M., GIANGUZZI L., ILARDI V., 1994 - Inventario delle specie "a rischio" nella flora vascolare nativa della Sicilia. - *Quad. Bot. Ambientale Appl.*, 3 (1992): 65-132. RAIMONDO F.M., GIANGUZZI L., VENTURELLA G., LO VALVO M., 1990 - Indagine preliminare sul patrimonio biologico-ambientale delle coste siciliane. - *Quad. Bot. Ambientale Appl.*, 1: 131-182. RAIMONDO F.M., MAZZOLA P., DOMINA G., 2004 - Check-list of the vascular plants collected during Iter Mediterraneo III. - *Bocconea*. 17: 65-231. Riggio S. & Massa B., 1975 - Problemi di conservazione della natura in Sicilia. 1° contributo per un'analisi della degradazione ambientale ed elenco delle aree dell'isola di maggiore interesse naturalistico. - *Atti IV Simp. naz. Conserv. Natura*, Bari, 2: 299-425. Sparacio I., 1993-1999 - *Coleotteri di Sicilia*. Vol. I, II, III. Ed. L'Epos. Tucker G.M. & Heath F.H., 1994 - *Birds in Europe: their conservation status*. *Birdlife Conservation Series n.3* - Birdlife International, Cambridge

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT13	90.0	IT11	80.0		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT13	90		
IT11	80		

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: Piano di gestione Monti di Trapani decreto n. 347 del 24/06/2010 Link: _____
<input type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

116 II° SO Carta Top 1:25000 Gauss-Boaga