



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE ITA020035  
SITENAME Monte Genuardo e Santa Maria del Bosco

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> B	<b>1.2 Site code</b> ITA020035	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Monte Genuardo e Santa Maria del Bosco

<b>1.4 First Compilation date</b>	<b>1.5 Update date</b>
1998-06	2013-10

### 1.6 Respondent:

**Name/Organisation:** Regione Siciliana Ass.to Territorio e Ambiente Servizio 4°  
**Address:** Via Ugo La Malfa 169 - 90146 Palermo  
**Email:**

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	0000-00
<b>National legal reference of SPA designation</b>	No data
<b>Date site proposed as SCI:</b>	1995-09
<b>Date site confirmed as SCI:</b>	No data
<b>Date site designated as SAC:</b>	2015-12



		1.0							D				
8210		38.51							C	C	A		A
91AA		621.21							C	C	B		B
9260		0.1							D				
92A0		3.45							C	C	B		B
9330		0.1							D				
9340		325.09							C	C	B		B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A247	<a href="#">Alauda arvensis</a>			r				P	DD	C	C	A	B
B	A413	<a href="#">Alectoris graeca whitakeri</a>			p				P	DD	C	B	C	B
B	A255	<a href="#">Anthus campestris</a>			r				P	DD	C	B	C	B
B	A243	<a href="#">Calandrella brachydactyla</a>			r				P	DD	C	B	C	B
B	A231	<a href="#">Coracias garrulus</a>			r				P	DD	C	B	C	B
B	A113	<a href="#">Coturnix coturnix</a>			r				P	DD	C	C	A	B
R	5370	<a href="#">Emys trinacris</a>			p				R	DD	C	B	B	B
B	A101	<a href="#">Falco biarmicus</a>			p				P	DD	C	B	C	B
B	A103	<a href="#">Falco peregrinus</a>			p				R	DD	B	B	C	B
B	A093	<a href="#">Hieraetus fasciatus</a>			p				P	DD	A	B	C	B
B	A251	<a href="#">Hirundo rustica</a>			r				P	DD	C	C	C	B

B	A233	<a href="#">Jynx torquilla</a>			r				P	DD	C	C	B	B
B	A339	<a href="#">Lanius minor</a>			r				P	DD	C	C	A	B
B	A341	<a href="#">Lanius senator</a>			r				P	DD	C	C	B	B
P	1790	<a href="#">Leontodon sicus</a>			p				C	DD	C	B	C	B
B	A246	<a href="#">Lullula arborea</a>			p				P	DD	C	B	C	B
B	A242	<a href="#">Melanocorypha calandra</a>			p				P	DD	C	B	C	B
B	A073	<a href="#">Milvus migrans</a>			p				P	DD	A	B	A	B
B	A278	<a href="#">Oenanthe hispanica</a>			c				P	DD	D			
B	A210	<a href="#">Streptopelia turtur</a>			r				P	DD	C	C	B	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species					Population in the site			Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
I		<a href="#">Acinipe calabra</a>						P				X		
B		<a href="#">Aegithalos caudatus sicus</a>						R				X		
I		<a href="#">Alphasida grossa sicula</a>						P				X		
P		<a href="#">Anacamptis pyramidalis</a>						R					X	
P		<a href="#">Anthemis cupaniana</a>						V				X		
P		<a href="#">Aristolochia clusii</a>						R			X			
P		<a href="#">Barlia robertiana</a>						C					X	
P		<a href="#">Bellevia dubia subsp. dubia</a>						C				X		
P		<a href="#">Biscutella maritima</a>						C				X		

P		<a href="#">Bivonaea lutea</a>						C				X		
I		<a href="#">Bolivarius bonneti painoi</a>						R				X		
I		<a href="#">Bolivarius brevicollis trinacriae</a>						R				X		
P		<a href="#">Brassica rupestris</a>						R			X			
A		<a href="#">Bufo siculus (B. viridis)</a>						P				X		
P		<a href="#">Buglossoides minima</a>						P			X			
P		<a href="#">Carduus macrocephalus subsp. siculus</a>						R				X		
P		<a href="#">Centaurea parlatoris</a>						V				X		
P		<a href="#">Centaurea solstitialis subsp. schouwii</a>						R				X		
P		<a href="#">Cephalanthera longifolia</a>						V					X	
R	1274	<a href="#">Chalcides ocellatus</a>						P	X					
P		<a href="#">Colchicum bivonae</a>						R				X		
P		<a href="#">Crepis vesicaria subsp. hyemalis</a>						R				X		
P		<a href="#">Crocus longiflorus</a>						C				X		
I		<a href="#">Ctenodecticus siculus</a>						R				X		
P		<a href="#">Cyclamen hederifolium</a>						C					X	
P		<a href="#">Cyclamen repandum</a>						C					X	
P		<a href="#">Cymbalaria pubescens</a>						R				X		
P		<a href="#">Daphne laureola</a>						R						X
P		<a href="#">Dianthus arrostii</a>						R				X		
A	1189	<a href="#">Discoglossus pictus</a>						P	X					
I		<a href="#">Echinogammarus sicilianus</a>						R						X
P		<a href="#">Echinops siculus</a>						R				X		
P		<a href="#">Erysimum metlesicsii</a>						V				X		
P		<a href="#">Euonymus europaeus</a>						V						X
P		<a href="#">Euphorbia amygdaloides subsp. arbuscula</a>						R				X		

P		<a href="#">Euphorbia bivonae</a>						V				X		
P		<a href="#">Euphorbia ceratocarpa</a>						C				X		
P		<a href="#">Euphorbia dendroides</a>						C					X	
M	1363	<a href="#">Felis silvestris</a>						R	X					
P		<a href="#">Fontinalis hypnoides var. duriaei</a>						P			X			
P		<a href="#">Gagea bohemica (G.busambarensis)</a>						R						X
P		<a href="#">Gagea lojaconoi (G.amblyopetala)</a>						V						X
I		<a href="#">Glyptobothrus messinai</a>						P				X		
P		<a href="#">Himantoglossum hircinum</a>						R					X	
I		<a href="#">Hydraena sicula</a>						R				X		
I		<a href="#">Hydraena subirregularis</a>						R				X		
R		<a href="#">Hyla intermedia</a>						V			X			
M	1344	<a href="#">Hystrix cristata</a>						R	X					
P		<a href="#">Iris pseudopumila</a>						R				X		
R		<a href="#">Lacerta bilineata</a>						P					X	
P		<a href="#">Lathyrus odoratus</a>						R				X		
M		<a href="#">Lepus corsicanus</a>						P				X		
P		<a href="#">Leucojum autumnale</a>						R						X
P		<a href="#">Limodorum abortivum</a>						R					X	
P		<a href="#">Magydaris pastinacea</a>						R						X
M	1357	<a href="#">Martes martes</a>						R		X				
I		<a href="#">Melanargia pherusa</a>						V				X		
P		<a href="#">Micromeria canescens</a>						R				X		
P		<a href="#">Micromeria fruticulosa</a>						C				X		
I		<a href="#">Monatractides (Monatractides)</a>						R						X
P		<a href="#">Myrrhoides nodosa</a>						P						X
I		<a href="#">Nargus (Demochrus) siculus</a>						R				X		
P		<a href="#">Neotinea maculata</a>						R					X	
P		<a href="#">Nepeta apulei</a>						R						X



R	1244	<a href="#">wagleriana</a>						P	X					
P		<a href="#">Polygala preslii</a>						R				X		
I		<a href="#">Pseudoversinia lagrecai</a>						R				X		
P		<a href="#">Ranunculus pratensis</a>						R				X		
P		<a href="#">Reseda luteola</a>						V						X
P		<a href="#">Rosa micrantha</a>						V				X		
P	1849	<a href="#">Ruscus aculeatus</a>						C		X				
P		<a href="#">Scorzonera deliciosa</a>						R				X		
P		<a href="#">Senecio siculus</a>						R				X		
P		<a href="#">Serapias vomeracea subsp. longipetala</a>						R					X	
I		<a href="#">Tasgius falcifer aliquoi</a>						P				X		
I		<a href="#">Tasgius globulifer evitendus</a>						P				X		
I		<a href="#">Tasgius pedator siculus</a>						P				X		
P		<a href="#">Thalictrum calabricum</a>						C				X		
P		<a href="#">Thymus spinulosus</a>						R				X		
P		<a href="#">Tragopogon porrifolius subsp. cupanii</a>						R						X
P		<a href="#">Trifolium bivonae</a>						R				X		
P		<a href="#">Viburnum tinus</a>						R						X
R		<a href="#">Zamenis lineatus (Elapha lineata)</a>						R				X		

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

Habitat class	% Cover



N18	20.0
N15	5.0
N16	30.0
N23	1.0
N06	1.0
N08	5.0
N20	25.0
N22	4.0
N09	8.0
N07	1.0
<b>Total Habitat Cover</b>	<b>100</b>

### Other Site Characteristics

L'area del SIC si localizza nella parte più occidentale dei Monti Sicani, dove si estende per una superficie complessiva di circa 2630 ettari, ricadendo nei territori comunali di Sambuca di Sicilia e Contessa Entellina (provincia di Agrigento), nonché quello di Giuliana (provincia di Palermo). Essa include la dorsale di Monte Genuardo (m 1180) e le vaste aree boscate di S. Maria del Bosco, la cui area è in buona parte già inclusa all'interno di una riserva naturale. Dal punto di vista geologico, si tratta prevalentemente di calcareniti glauconitiche (Tortoniano-Miocene inferiore) e formazioni carbonatiche delle Unità saccensi. Sotto l'aspetto bioclimatico, il territorio è compreso fra le fasce del termomediterraneo (temperatura media annua superiore ai 16 °C) e del mesomediterraneo (temperatura media annua di 16-13 °C), con ombrotipo variabile fra il subumido inferiore e superiore (piovosità media annua di 600-1000 mm). L'elevata eterogeneità ambientale diversifica un paesaggio vegetale alquanto articolato, da riferire prevalentemente ai seguenti sigmeti: - serie tirrenica costiero-collinare, basifila, su calcare, termomediterranea secco-subumida dell'Olivastro (*Oleo-Euphorbio dendroidis sigmetum*); - serie sicula collinare-montana, basifila, su calcari, meso-supramediterranea subumida-umida del Leccio (*Aceri campestris-Quercu ilicis sigmetum*); - serie tirrenica collinare-montana, mesofitica e neutro-basifila, su suoli bruni calcici, termo-mesomediterranea subumida della Quercia castagnara (*Sorbo torminalis-Quercu virgiliana sigmetum*); - serie sicula costiero-submontana, edafo-igrofila, termo-mesomediterranea subumida del Salice pedicellato (*Ulmo-Salico pedicellatae sigmetum*). Alle succitate serie sono altresì da aggiungere le microgeoserie legate a condizioni edafiche particolari, come nel caso delle pareti rocciose, delle aree detritiche, dei calanchi, delle pozze d'acqua, ecc.

### 4.2 Quality and importance

Si tratta di una delle aree di maggiore pregio naturalistico-ambientale della Sicilia centrale. Il biotopo di S. Maria del Bosco, caratterizzato dalla presenza di espressioni forestali alquanto estese ed integre, è spesso citato in bibliografia per aspetti fitocenotici peculiari, oltre ad un elevato numero di entità vegetali endemiche (alcune delle quali esclusive) o rare. Nella sezione 3.3, indicate con la lettera D, sono elencate alcune specie la cui presenza nel territorio è ritenuta di rilevante interesse fitogeografico.

### 4.3 Threats, pressures and activities with impacts on the site

### 4.4 Ownership (optional)

### 4.5 Documentation

BRULLO S. & MARCENÒ C., 1985b - Contributo alla conoscenza della classe *Quercetea ilicis* in Sicilia. - Not. Fitosoc., 19 (1): 183-229 (1984). BRULLO S. & SPAMPINATO G., 1990 - La vegetazione dei corsi d'acqua della Sicilia. - Boll. Acc. Gioenia Sci. Nat., 23 (336): 183-229. CERFOLLI F., PETRASSI F. & PETRETTI F. (EDS), 2002 - Libro Rosso degli Animali d'Italia - Invertebrati. WWF Italia - Onlus Roma. CIRAIOLO G., COLOMELA D., LA LOGGIA G. & LO VALVO M., 2004 - Proposte metodologiche per l'individuazione delle aree di maggiore valore naturalistico: il caso del comprensorio dei monti sicani. *Naturalista sicil.* XXVIII: 411-430. CONTI F., MANZI A. & PEDROTTI F. 1997 - Liste Rosse Regionali delle Piante d'Italia. - Soc. Bot. Ital. e Assoc. Ital. per il WWF, Camerino (MC), 104 pp. CORTINI PEDROTTI C., ALEFFI M., 1996 - Lista Rossa delle Briofite d'Italia. - In CONTI F., MANZI A., PEDROTTI F., 1992, Società Botanica Italiana e Associazione Italiana per il World Wildlife Fund, Camerino, pp. 559-635. degradazione ambientale ed elenco delle aree dell'isola di maggiore interesse naturalistico. - Atti IV Simp. naz. Conserv. Natura, Bari, 2: 299-425. DIA M.G., MICELI G., RAIMONDO F.M., 1987 - Check-list dei Muchi noti in Sicilia. - Webbia 41 (1):61-123. DIA M.G., MICELI G., RAIMONDO F.M., 1987 - Check-list delle Epatiche note in

Sicilia. - Webbia 39 (1):163-177.DÜLL R., 2004 - Check-list of the bryophytes collected during Iter Mediterraneum III - Bocconeia 17: 233-283.GIANGUZZI L., 2004 (a cura di) - Il paesaggio vegetale della Riserva Naturale Orientata "Bosco della Ficuzza, Rocca Busambra, Bosco del Cappelliere, Gorgo del Drago". - Collana Sicilia Foreste 22, Azienda Foreste Demaniali della Regione Siciliana, Palermo.GRIMMETT R.F.A & JONES T.A., 1989 - Important Bird Area in Europe. ICBP Technical Publication N.9, 900 pp.IAPICHINO C. & MASSA B., 1989 - The Birds of Sicily. B.O.U.Chechlist n.11, London.LO VALVO F. 1998 - Status e conservazione dell'erpetofauna siciliana. Naturalista sicil. XXII: 53-71.LO VALVO M., MASSA B. & SARÀ M. , 1993 - Uccelli e paesaggio in Sicilia alle soglie del terzo millennio. Naturalista sicil. XVII:1-376.LOJACONO-POJERO M, 1888-1909 - Flora Sicula o descrizione delle piante spontanee o indigenate in Sicilia. - Palermo, 5 voll.LORENZ R. & LORENZ K., 2002 - Zur Orchideenflora zirkumsizilianischer Inseln. - Jber. naturwiss. Ver. Wuppertal, 55: 100-162.MASCLE G., 1974 - Carte géologique des Monts Sicani (scale 1 :100000). - Officine Grafiche Ires, Palermo.MASSA B., FURIA M., BOMBACE M. & DE DOMENICO R., 2004 - Proposta di gestione integrata dei monti sicani. Naturalista sicil. XXVIII: 431-455.RAIMONDO F.M., BAZAN G., GIANGUZZI L., ILARDI V., SCHICCHI R., SURANO N., 2000 - Carta del paesaggio e della biodiversità vegetale della Provincia di Palermo. - Quad. Bot. Ambientale Appl., 9 (1998). II: Allegati cartografici (Tav. 8: Palazzo Adriano-Lercara Friddi).RAIMONDO F.M., GIANGUZZI L. & ILARDI V., 1992 - Inventario delle specie "a rischio" nella flora vascolare nativa della Sicilia. - Quad. Bot. Ambientale Appl., 3: 65-132.RIGGIO S. & MASSA B., 1975 - Problemi di conservazione della natura in Sicilia. 1° contributo per un'analisi della SOCIETAS HERPETOLOGICA ITALICA, 1996 - Atlante provvisorio degli Anfibi e Rettili italiani - Annali Mus. Civ. St. nat. G.Doria, Genova, 91: 95-178.

## 5. SITE PROTECTION STATUS (optional)

### 5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT05	92.0	IT13	12.0		

### 5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT05	R.N.O. Monte Genuardo e Santa Maria del Bosco	*	94.0

### 5.3 Site designation (optional)

## 6. SITE MANAGEMENT

### 6.1 Body(ies) responsible for the site management:

[Back to top](#)

### 6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: Piano di gestione Monti Sicani decreto n. 346 del 24/06/2010 Link: _____
<input type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

### 6.3 Conservation measures (optional)

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

251SE 251NO 251NE 1:25.000 UTM