



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE                    ITA020036  
SITENAME            Monte Triona e Monte Colomba

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> B	<b>1.2 Site code</b> ITA020036	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Monte Triona e Monte Colomba

<b>1.4 First Compilation date</b>	<b>1.5 Update date</b>
1998-06	2013-10

### 1.6 Respondent:

**Name/Organisation:** Regione Siciliana Ass.to Territorio e Ambiente Servizio 4°  
**Address:** Via Ugo La Malfa 169 - 90146 Palermo  
**Email:**

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	0000-00
<b>National legal reference of SPA designation</b>	No data
<b>Date site proposed as SCI:</b>	1995-09
<b>Date site confirmed as SCI:</b>	No data
<b>Date site designated as SAC:</b>	2015-12



		9.26				D						
91AA	<b>F</b>	486.82				B		B	B	B		B
92A0	<b>F</b>	9.07				D						
9340	<b>F</b>	376.8				B		C	B	B		B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A247	<a href="#">Alauda arvensis</a>			r				P	DD	C	C	A	B
B	A413	<a href="#">Alectoris graeca whitakeri</a>			p				P	DD	C	B	C	B
B	A255	<a href="#">Anthus campestris</a>			r				P	DD	C	B	C	B
B	A243	<a href="#">Calandrella brachydactyla</a>			r				P	DD	C	B	C	B
B	A083	<a href="#">Circus macrourus</a>			c				P	DD	D			
B	A231	<a href="#">Coracias garrulus</a>			r				P	DD	C	B	C	B
B	A113	<a href="#">Coturnix coturnix</a>			r				P	DD	C	C	A	B
P	1468	<a href="#">Dianthus rupicola</a>			p				R	DD	C	B	C	B
B	A101	<a href="#">Falco biarmicus</a>			p				P	DD	C	B	C	B
B	A095	<a href="#">Falco naumanni</a>			r				P	DD	B	B	C	B
B	A341	<a href="#">Lanius senator</a>			r				P	DD	C	C	B	B
P	1790	<a href="#">Leontodon siculus</a>			p				C	DD	C	B	C	B
B	A246	<a href="#">Lullula arborea</a>			p				P	DD	C	B	C	B
B	A242	<a href="#">Melanocorypha calandra</a>			p				P	DD	C	B	C	B

B	A073	<a href="#">Milvus migrans</a>			c				P	DD	A	B	A	B
B	A278	<a href="#">Oenanthe hispanica</a>			c				P	DD	D			
B	A210	<a href="#">Streptopelia turtur</a>			r				P	DD	C	C	B	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species					Population in the site			Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		<a href="#">Aceras anthropophorum</a>						R					X	
I		<a href="#">Acinipe calabra</a>						P				X		
I		<a href="#">Agapanthia dahlia sicula</a>						R			X			
I		<a href="#">Alphasida grossa sicula</a>						P				X		
P		<a href="#">Anacamptis pyramidalis</a>						R					X	
I		<a href="#">Anisorhynchus barbarus sturmi</a>						R						X
P		<a href="#">Anthirrhinum siculum</a>						R				X		
P		<a href="#">Aristolochia clusii</a>						R				X		
P		<a href="#">Barlia robertiana</a>						C					X	
P		<a href="#">Bellevalia dubia subsp. dubia</a>						C				X		
P		<a href="#">Biscutella maritima</a>						C				X		
P		<a href="#">Bivonaea lutea</a>						C				X		
I		<a href="#">Bolivarius bonneti painoi</a>						R				X		
P		<a href="#">Brassica rupestris</a>						R				X		

P		<a href="#">Carlina sicula</a>						R					X		
P		<a href="#">Carpinus orientalis</a>						P							X
P		<a href="#">Centaurea sicana</a>						P					X		
P		<a href="#">Centaurea solstitialis subsp. schouwii</a>						R					X		
R	1274	<a href="#">Chalcides ocellatus</a>						P	X						
P		<a href="#">Crocus longiflorus</a>						C					X		
I		<a href="#">Ctenodecticus siculus</a>						R					X		
P		<a href="#">Cyclamen hederifolium</a>						C						X	
P		<a href="#">Cyclamen repandum</a>						C						X	
P		<a href="#">Cymbalaria pubescens</a>						R					X		
P		<a href="#">Daphne laureola</a>						R							X
P		<a href="#">Dianthus siculus</a>						R					X		
P		<a href="#">Erysimum bonannianum</a>						R					X		
P		<a href="#">Euphorbia amygdaloides subsp. arbuscula</a>						R					X		
P		<a href="#">Euphorbia ceratocarpa</a>						C					X		
P		<a href="#">Euphorbia dendroides</a>						C						X	
I		<a href="#">Glyptobothrus messinai</a>						P					X		
P		<a href="#">Himantoglossum hircinum</a>						R						X	
I		<a href="#">Hydryphantes (Hydryphantes) armentarius</a>						R							X
M	1344	<a href="#">Hystrix cristata</a>						R	X						
P		<a href="#">Iris pseudopumila</a>						R					X		
R		<a href="#">Lacerta bilineata</a>						P				X			
P		<a href="#">Lathyrus odoratus</a>						R					X		
M		<a href="#">Lepus corsicanus</a>						P					X		
P		<a href="#">Micromeria fruticulosa</a>						C					X		
I		<a href="#">Modicogryllus algirius algirius</a>						R							X

I		<a href="#">Nemoura palliventris</a>						R							X
P		<a href="#">Neotinea maculata</a>						R						X	
P		<a href="#">Ophrys grandiflora (O. tenthredinifera)</a>						R				X			
P		<a href="#">Ophrys apifera</a>						R						X	
P		<a href="#">Ophrys bertolonii</a>						R						X	
P		<a href="#">Ophrys exaltata</a>						R				X			
P		<a href="#">Ophrys fusca</a>						R						X	
P		<a href="#">Ophrys garganica</a>						R						X	
P		<a href="#">Ophrys incubacea</a>						R						X	
P		<a href="#">Ophrys lacaitae</a>						R				X			
P		<a href="#">Ophrys lutea subsp. lutea</a>						R						X	
P		<a href="#">Ophrys lutea subsp. minor</a>						R						X	
P		<a href="#">Ophrys oxyrrhynchos</a>						R				X			
P		<a href="#">Ophrys sphecodes</a>						R						X	
P		<a href="#">Ophrys vernixia subsp. vernixia</a>						R						X	
P		<a href="#">Orchis brancifortii</a>						R				X			
P		<a href="#">Orchis italica</a>						C						X	
P		<a href="#">Orchis lactea</a>						R						X	
P		<a href="#">Orchis longicornu</a>						R						X	
P		<a href="#">Orchis papilionacea var. grandiflora</a>						R						X	
P		<a href="#">Orchis provincialis</a>						R						X	
P		<a href="#">Orchis tridentata</a>						R						X	
P		<a href="#">Orthotrichum pallens</a>						V				X			
P		<a href="#">Paeonia mascula subsp. russoi</a>						R					X		
I		<a href="#">Pamphagus marmoratus</a>						R				X			
R	1244	<a href="#">Podarcis wagleriana</a>						P	X						
P		<a href="#">Ranunculus pratensis</a>						R					X		

P	1849	<a href="#">Ruscus aculeatus</a>							C		X				
P		<a href="#">Senecio sicalus</a>							R				X		
P		<a href="#">Serapias vomeracea subsp. longipetala</a>							R					X	
I		<a href="#">Tasgius falcifer aliquoi</a>							P				X		
I		<a href="#">Tasgius globulifer evitendus</a>							P				X		
I		<a href="#">Tasgius pedator sicalus</a>							P				X		
P		<a href="#">Thalictrum calabricum</a>							C				X		
P		<a href="#">Thymus spinulosus</a>							R				X		
P		<a href="#">Tragopogon porrifolius subsp. cupanii</a>							R						X
R		<a href="#">Zamenis lineatus</a>							R				X		

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N09	32.0
N15	4.0
N08	8.0
N16	4.0
N20	32.0
N22	1.0
N18	18.0
N06	1.0
<b>Total Habitat Cover</b>	<b>100</b>

## Other Site Characteristics

L'area del SIC si localizza nel complesso orografico dei Monti Sicani, dove si estende complessivamente per una superficie di circa 3313 ettari, interessando i territori comunali di Bisacchino, Campofiorito, Corleone, Chiusa Sclafani, Palazzo Adriano e Prizzi (provincia di Palermo). Essa include la dorsale che si sviluppa a ridosso degli abitati di Campofiorito e Bisacchino fino al Lago di Prizzi, con andamento est-ovest; fra i principali rilievi figurano M. Triona (m 1215) e M. Colomba (m 1197). Dal punto di vista geologico, si tratta prevalentemente di calcareniti glauconitiche (Tortoniano-Miocene inferiore) e formazioni carbonatiche e silico-carbonatiche delle Unità Sicane. Sotto l'aspetto bioclimatico il territorio è compreso fra le fasce del mesomediterraneo (temperatura media annua di 16-13 °C) ed il supramediterraneo (temperatura media annua inferiore a 13 °C), con ombrotipo variabile fra il subumido inferiore e superiore (piovosità media annua di 600-1000 mm). Il paesaggio vegetale si presenta caratterizzato da formazioni boschive, arbustive, prative e rupestri tipiche del territorio dei Sicani; nel territorio sono stati effettuati diversi impianti forestali artificiali a dominanza di specie estranee alla flora nativa, alterando in parte i lineamenti tipici del paesaggio. Per quanto riguarda le principali serie di vegetazione, possono essere preminentemente riferite a quella del Leccio (in particolare l'Aceri campestris-Quercu ilicis sigmetum) sui substrati rocciosi calcarei, e ad altre della Quercia castagnara (l'Oleo-Quercu virgiliana sigmetum ed il Sorbo torminalis-Quercu virgiliana sigmetum), queste ultime su suoli bruni calcici, rispettivamente a quote più o meno basse. Lungo i corsi d'acqua sono presenti altri aspetti ripali, in parte ascritti alla serie del Salice pedicellato (Ulmo-Salico pedicellatae sigmetum). Alle succitate serie sono altresì da aggiungere le microgeoserie legate a condizioni edafiche particolari, come nel caso delle pareti rocciose, delle zone detritiche, ecc.

## 4.2 Quality and importance

Si tratta di un'area relativamente poco nota dal punto di vista geobotanico, ma in ogni caso di un certo pregio naturalistico-ambientale e paesaggistico. Particolarmente interessante risulta l'area boscata di Monte Colomba - anche se in parte devastata da recenti incendi - nel cui ambito risulta segnalata la presenza di *Carpinus orientalis*, che sarebbe l'unica stazione siciliana della specie. Nella sezione 3.3, indicate con la lettera D, sono elencate alcune entità vegetali la cui presenza nel territorio è ritenuta di rilevante interesse fitogeografico. Il sito ospita specie di rapaci diurni rare e/o minacciate di scomparsa.

## 4.3 Threats, pressures and activities with impacts on the site

## 4.4 Ownership (optional)

## 4.5 Documentation

AA.VV., 2000 - Ficuzza, storia e natura. Ed. Arbor 206 pp. BRULLO S. & MARCENÒ C., 1985b - Contributo alla conoscenza della classe Quercetea ilicis in Sicilia. - Not. Fitosoc., 19 (1): 183-229 (1984). BRULLO S. & SPAMPINATO G., 1990 - La vegetazione dei corsi d'acqua della Sicilia. - Boll. Acc. Gioenia Sci. Nat., 23 (336): 183-229. CERFOLLI F., PETRASSI F. & PETRETTI F. (EDS), 2002 - Libro Rosso degli Animali d'Italia - Invertebrati. WWF Italia - Onlus Roma. CIRAIOLO G., COLOMELA D., LA LOGGIA G. & LO VALVO M., 2004 - Proposte metodologiche per l'individuazione delle aree di maggiore valore naturalistico: il caso del comprensorio dei monti sicani. Naturalista sicil. XXVIII: 411-430. CONTI F., MANZI A. & PEDROTTI F. 1997 - Liste Rosse Regionali delle Piante d'Italia. - Soc. Bot. Ital. e Assoc. Ital. per il WWF, Camerino (MC), 104 pp. CORTINI PEDROTTI C., ALEFFI M., 1996 - Lista Rossa delle Briofite d'Italia. - In CONTI F., MANZI A., PEDROTTI F., 1992, Società Botanica Italiana e Associazione Italiana per il World Wildlife Fund, Camerino, pp. 559-635. degradazione ambientale ed elenco delle aree dell'isola di maggiore interesse naturalistico. - Atti IV Simp. naz. Conserv. Natura, Bari, 2: 299-425. GRIMMETT R.F.A & JONES T.A., 1989 - Important Bird Area in Europe. ICBP Technical Publication N.9, 900 pp. IAPICHINO C. & MASSA B., 1989 - The Birds of Sicily. B.O.U. Checklist n.11, London. LO VALVO F. 1998 - Status e conservazione dell'erpetofauna siciliana. Naturalista sicil. XXII: 53-71. LO VALVO M., MASSA B. & SARÀ M., 1993 - Uccelli e paesaggio in Sicilia alle soglie del terzo millennio. Naturalista sicil. XVII: 1-376. LOJACONO-POJERO M, 1888-1909 - Flora Sicula o descrizione delle piante spontanee o indigenate in Sicilia. - Palermo, 5 voll. LORENZ R. & LORENZ K., 2002 - Zur Orchideenflora zirkumsizilianischer Inseln. - Jber. naturwiss. Ver. Wuppertal, 55: 100-162. MASCLE G., 1974 - Carte géologique des Monts Sicani (scale 1:100000). - Officine Grafiche Ires, Palermo. MASSA B., FURIA M., BOMBACE M. & DE DOMENICO R., 2004 - Proposta di gestione integrata dei monti sicani. Naturalista sicil. XXVIII: 431-455. RAIMONDO F.M., BAZAN G., GIANGUZZI L., ILARDI V., SCHICCHI R., SURANO N., 2000 - Carta del paesaggio e della biodiversità vegetale della Provincia di Palermo. - Quad. Bot. Ambientale Appl., 9 (1998). II: Allegati cartografici (Tav. 8: Palazzo Adriano-Lercara Friddi). RAIMONDO F.M., GIANGUZZI L. & ILARDI V., 1992 - Inventario delle specie "a rischio" nella flora vascolare nativa della Sicilia. - Quad. Bot. Ambientale Appl., 3: 65-132. RIGGIO S. & MASSA B., 1975 - Problemi di conservazione della natura in Sicilia. 1° contributo per un'analisi della SOCIETAS HERPETOLOGICA ITALICA, 1996 - Atlante provvisorio degli Anfibi e Rettili italiani - Annali Mus. Civ. St. nat. G.Doria, Genova, 91: 95-178.



## 5. SITE PROTECTION STATUS (optional)

[Back to top](#)

### 5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT13	5.0				

### 5.2 Relation of the described site with other sites:

### 5.3 Site designation (optional)

## 6. SITE MANAGEMENT

[Back to top](#)

### 6.1 Body(ies) responsible for the site management:

### 6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: Piano di gestione Monti Sicani decreto n. 346 del 24/06/2010 Link: _____
<input type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

### 6.3 Conservation measures (optional)

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

103090 1:10000 Gauss-Boaga Ovest