



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ITA050003
SITENAME Lago Soprano

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code ITA050003	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Lago Soprano

1.4 First Compilation date	1.5 Update date
1998-06	2013-10

1.6 Respondent:

Name/Organisation: Regione Siciliana Ass.to Territorio e Ambiente Servizio 4°
Address: Via Ugo La Malfa 169 - 90146 Palermo
Email:

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	2015-12

National legal reference of SAC designation:

DM 21/12/2015 - G.U. 8 del 12-01-2016

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

13.872767

Latitude

37.46047

2.2 Area [ha]:

92.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITG1

Sicilia

2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3130			1.07			D			
3150			6.2			D			
5330			0.1			C	C	C	C
6220			0.82			C	C	C	C
6420			0.1			C	C	C	C

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D		A B C	
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A298	Acrocephalus arundinaceus			r				P	DD	D			
B	A297	Acrocephalus scirpaceus			r				P	DD	D			
B	A229	Alcedo atthis			w				P	DD	D			
B	A056	Anas clypeata			w				P	DD	D			
B	A052	Anas crecca			w				P	DD	D			
B	A050	Anas penelope			w				P	DD	D			
B	A055	Anas querquedula			w				P	DD	D			
B	A028	Ardea cinerea			w				P	DD	D			
B	A028	Ardea cinerea			r				P	DD	D			
B	A059	Aythya ferina			w				P	DD	D			
B	A060	Aythya nyroca			c				P	DD	A	B	B	B
B	A145	Calidris minuta			c				P	DD	D			
B	A026	Egretta garzetta			w				P	DD	D			
R	5370	Emys trinacris			p				R	DD	C	B	B	B
B	A022	Ixobrychus minutus			r				P	DD	C	B	B	B
B	A034	Platalea leucorodia			c				P	DD	D			
B	A032	Plegadis falcinellus			c				P	DD	D			
B	A008	Podiceps nigricollis			w				P	DD	D			

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species				Population in the site				Motivation							
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max			IV	V	A	B	C	D	
P		Astragalus raphaelis						R			X				
A	1201	Bufo viridis						P	X						
P		Heliotropium supinum						P							X
R		Lacerta bilineata						R					X		
P		Lemna gibba						P							X
M		Lepus corsicanus						R			X				
P		Limonium calcarae						R			X				
P		Linum collinum						R							X
R		Natrix natrix						P							X
P		Ononis pusilla						R							X
R	1244	Podarcis wagleriana						P	X						
P		Ranunculus aquatilis						P							X
P		Scirpus lacustris						P							X
P		Silene rubella subsp. turbinata						R			X				
B		Tachybaptus ruficollis						P			X				

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)

- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N06	5.0
N12	20.0
N23	5.0
N09	30.0
N07	35.0
N08	5.0
Total Habitat Cover	100

Other Site Characteristics

L'area del SIC ricade nel comune di Serradifalco. Il sito comprende un lago costituitosi nella metà dello scorso secolo a causa di una frana sotterranea naturale, in un'area occupata da una dolina carsica. Il lago ha quindi sostituito l'originario ambiente paludoso che si trovava in corrispondenza della dolina collassata. Il maggiore apporto idrico è attualmente dovuto alle acque reflue del paese di Serradifalco, che non essendo depurate creano un ambiente ipertrofico, con elevati valori in particolare di fosforo. Il lago è stato classificato come polimittico in relazione alla sua limitata profondità. I valori di conduttività sono elevati in particolare durante l'estate, a causa dell'evaporazione, mentre la composizione ionica appare legata alle caratteristiche geologiche dell'area, in particolare sono riportati alti valori di Ca e Na. Il substrato è riferibile alla formazione evaporitica del Messiniano, dal punto di vista pedologico sono riportati per l'area regosuoli. Bioclima mesomediterraneo medio secco superiore, con piovosità media annua di 561 mm, temperatura media annua di 16° C (Stazione di Caltanissetta). Il lago e le sue adiacenze ospitano vegetazione lacustre anfibia e sommersa, oltre a praticelli effimeri igrofilii.

4.2 Quality and importance

La comunità fitoplanctonica è dominata nel periodo più caldo da Euglenophyceae, nel periodo autunnale da Cyanophyceae, Chlorophyceae, ecc., mentre nel periodo invernale dominano le Charophyceae. La biomassa dovuta a Cyanophyceae viene riportata come molto significativa durante l'estate, in particolare per la presenza di *Anabenaopsis elenkinii*, taxon segnalato per la prima volta in Italia proprio in questo sito. Per quanto riguarda lo zooplankton, sono riportati elevati valori per i cladoceri in inverno, mentre in estate il copepode *Euclyclops macruroides* domina. Notevoli oscillazioni nella biomassa del fitoplancton sono state osservate nel lago tra l'inverno e la primavera, in relazione al ruolo degli erbivori. Sono anche rappresentate all'interno del sito specie della flora vascolare di interesse fitogeografico (sezione 3.3: D). Il sito ospita consistenti contingenti di specie di uccelli durante le migrazioni. Inoltre è luogo di svernamento di centinaia di anatre ed altre specie acquatiche.

4.3 Threats, pressures and activities with impacts on the site

4.4 Ownership (optional)

4.5 Documentation

AA.VV., 2004 - Il contributo dei Parchi e delle Riserve Naturali alla conservazione della natura in Sicilia - Naturalista sicil., Vol. XXVIII: 810 pp. BULGARINI F., CALVARIO E., FRATICELLI F., PETRETTI F. & SARROCCO S. (Eds), 1998 - Libro Rosso degli Animali d'Italia. Vertebrati - WWF Italia, Roma. CALVO S., BARONE R., NASELLI FLORES L., FRADÀ ORESTANO C., DONGARRÀ G., LUGARO A. & GENCHI G., 1993 - Limnological studies on lakes and reservoirs of Sicily - Naturalista sicil., S.IV, XVII (suppl.): 1-292. IAPICHINO C. & MASSA B., 1989 - The Birds of Sicily - B.O.U. Checklist n.11, London. LO VALVO F. &

LONGO A.M., 2001 - Anfibi e rettili di Sicilia - WWF-SSSN, 58 pp. LO VALVO F., 1998 - Status e conservazione dell'erpetofauna siciliana - Naturalista sicil., XXII: 53-71. LO VALVO M., MASSA B. & SARÀ M., 1993 - Uccelli e paesaggio in Sicilia alle soglie del terzo millennio - Naturalista sicil., XVII: 1-376. PAVAN M. (a cura), 1992 - Contributo per un "Libro Rosso" della fauna e della flora minacciate in Italia - Ist. Entom. Univ. Pavia, 720 pp. RIGGIO S. & MASSA B., 1975 - Problemi di conservazione della natura in Sicilia. 1° contributo per un'analisi della degradazione ambientale ed elenco delle aree dell'isola di maggiore interesse naturalistico. - Atti IV Simp. naz. Conserv. Natura, Bari, 2: 299-425. SOCIETAS HERPETOLOGICA ITALICA, 1996 - Atlante provvisorio degli Anfibi e Rettili italiani - Annali Mus. Civ. St. nat. G. Doria, Genova, 91: 95-178.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT05	60.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT05	R.N.O. Lago Soprano	*	95.0

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: Piano di gestione Lago Soprano decreto n. 452 del 27/06/2011 Link: _____
<input type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

43130 1:10000 UTM32N WGS84