



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ITA020043
SITENAME Monte Rosamarina e Cozzo Famò

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code ITA020043	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Monte Rosamarina e Cozzo Famò

1.4 First Compilation date 1998-06	1.5 Update date 2019-12
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Siciliana Ass.to Territorio e Ambiente Servizio 4°
Address: Via Ugo La Malfa 169 - 90146 Palermo
Email:

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	2015-12
National legal reference of SAC designation:	DM 21/12/2015 - G.U. 8 del 12-01-2016

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 13.660955 **Latitude** 37.960522

2.2 Area [ha]: 236.0 **2.3 Marine area [%]:** 0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name

2.6 Biogeographical Region(s)

Mediterranean (100.0 %)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3290			1.0		M	C	C	B	C
5330			8.46		M	B	C	B	B
6220			136.41		M	B	C	B	B
8130			20.64		M	B	C	A	B
8210			25.38		M	B	C	A	B
92A0			10.7		M	C	C	C	C
9340			3.7		P	D			

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A255	Anthus campestris			r				P	DD	D			
B	A257	Anthus pratensis			w				P	DD	D			
P	1468	Dianthus rupicola			p				R	DD	C	B	C	B
B	A103	Falco peregrinus			p				P	DD	B	B	A	B
B	A097	Falco vespertinus			c				P	DD	D			
B	A322	Ficedula hypoleuca			c				P	DD	D			
B	A341	Lanius senator			r				P	DD	D			
B	A246	Lullula arborea			p				P	DD	C	B	C	B
B	A230	Merops apiaster			c				P	DD	D			
B	A073	Milvus migrans			c				P	DD	D			
B	A072	Pernis apivorus			c				P	DD	D			
B	A304	Sylvia cantillans			r				P	DD	D			
B	A232	Upupa epops			r				P	DD	D			

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max		C R V P	IV	V	A	B	C	D	
P		Aceras anthropophorum						R						X	
P		Aceras anthropophorum						R						X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Funghi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N09	60.0
N06	5.0
N22	25.0
N15	1.0
N18	3.0
N08	6.0
Total Habitat Cover	100

Other Site Characteristics

L'area del SIC ricade nell'ambito della dorsale carbonatica posta fra i cosiddetti "Monti di Trabia" e l'area di Monte S. Calogero, presso Termini Imerese. Essa si estende per circa 236 ettari, interessando il territorio dei comuni di Termini Imerese e Caccamo (provincia di Palermo). Il sito include la gola del Fiume S. Leonardo a valle della Diga Rosamarina, ivi compresi i rilievi circostanti di M. Rosamarina (m 540), Cozzo Ligneri (m 519) e Cozzo Famò (m 450). Dal punto di vista geolitologico si tratta di substrati preminentemente carbonatici del cosiddetto paleobacino "Imerese"; sotto l'aspetto bioclimatico il territorio è compreso tra le fasce del termomediterraneo e del mesomediterraneo (temperatura media: 16-13 °C), con ombrotipo subumido (precipitazioni medie superiori a 650 mm). Il paesaggio vegetale risente delle intensi sfruttamenti forestali del passato, nonché dei frequenti incendi che attraversano territorio; domina la prateria ad Ampelodesma ed altri aspetti di vegetazione secondaria, mentre assai sporadici risultano gli aspetti forestali naturali. Tale paesaggio è prevalentemente da riferire alla serie dell'Olivastro (Oleo-Euphorbio dendroidis sigmetum) o del Leccio (Pistacio-Quercu ilicis sigmetum e Aceri campestris-Quercu ilicis sigmetum), le quali svolgono un ruolo pioniero sui substrati rocciosi calcarei; in ambiti circoscritti è rappresentata anche la serie della Sughera (Genisto-Quercu suberis sigmetum). Sui suoli più profondi si rilevano ambiti seriali della Quercia virgiliana (Oleo-Quercu virgiliana sigmetum) o del Salice pedicellato (Ulmo canescentis-Salico pedicellatae sigmetum), quest'ultima legata ai margini del corso d'acqua. Ai succitati sigmeti sono altresì da aggiungere varie altre microgeoserie legate a condizioni edafiche particolari, come nel caso delle pareti rocciose e delle aree detritiche, le quali ultime sono alquanto estese alla base dei rilievi.

4.2 Quality and importance

L'area presenta un elevato interesse floristico-fitocenotico e faunistico, con aspetti di vegetazione in parte peculiari, come nel caso delle comunità rupicole, nel cui ambito è rappresentato un elevato numero di specie vegetali endemiche e/o di rilevante interesse fitogeografico. Le specie riportate nella sezione 3.3 ed indicate con la lettera D fanno riferimento ad altre entità che in Sicilia risultano alquanto rare, la cui presenza nel territorio in oggetto è comunque ritenuta di rilevante interesse fitogeografico. Il sito ospita anche rare specie di falconiformi.

4.3 Threats, pressures and activities with impacts on the site

4.4 Ownership (optional)

4.5 Documentation

BRULLO S. & MARCENÒ C., 1985 - Contributo alla conoscenza della classe Quercetea ilicis in Sicilia. - Not. Fitosoc., 19 (1): 183-229 (1984). BRULLO S. & SPAMPINATO G., 1990 - La vegetazione dei corsi d'acqua della Sicilia. - Boll. Acc. Gioenia Sci. Nat., 23 (336): 183-229. Bulgarini F., Calvario E., Fraticelli F., Petretti F., Sarrocco S. (Eds), 1998 - Libro Rosso degli Animali d'Italia - Vertebrati. WWF Italia, Roma. CONTI F., MANZI A. & PEDROTTI F. 1997 - Liste Rosse Regionali delle Piante d'Italia. - Soc. Bot. Ital. e Assoc. Ital. per il WWF, Camerino (MC), 104 pp. GIANGUZZI L., 2004 - Sulla gestione del paesaggio vegetale. - In GIANGUZZI L. (a cura di), Il paesaggio vegetale della Riserva Naturale Orientata "Bosco della Ficuzza, Rocca Busambra, Bosco del Cappelliere, Gorgo del Drago". Collana Sicilia Foreste 22:153-158, Azienda Foreste Demaniali della Regione Siciliana, Palermo. Lo Valvo M., Massa B. & Sarà M., 1993 - Uccelli e paesaggio in Sicilia alle soglie del terzo millennio. Naturalista sicil. XVII:1-376. LOJACONO-POJERO M., 1888-1909 - Flora Sicula o descrizione delle piante spontanee o indigenate in Sicilia. - Palermo, 5 voll. LORENZ R. & LORENZ K., 2002 - Zur Orchideenflora zirkumsizilianischer Inseln. - Jber. naturwiss. Ver. Wuppertal, 55: 100-162. Pavan M. (a cura) 1992 - Contributo per un "Libro Rosso" della fauna e della flora minacciate in Italia. Ist. Entom. Univ. Pavia 720 pp. RAIMONDO F.M., BAZAN G., GIANGUZZI L., ILARDI V., SCHICCHI R., SURANO N., 2000 - Carta del paesaggio e della biodiversità vegetale della Provincia di Palermo. - Quad. Bot. Ambientale Appl., 9 (1998). RAIMONDO F.M., GIANGUZZI L. & ILARDI V., 1992 - Inventario delle specie "a rischio" nella flora vascolare nativa della Sicilia. - Quad. Bot. Ambientale Appl., 3: 65-132. Riggio S. & Massa B., 1975 - Problemi di conservazione della natura in Sicilia. 1° contributo per un'analisi della degradazione ambientale ed elenco delle aree dell'isola di maggiore interesse naturalistico. - Atti IV Simp. naz. Conserv. Natura, Bari, 2: 299-425.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT13	22.0				

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Piano di gestione Zona montano-costiera del palermitano decreto n. 897 del 24/11/2010 Link: _____
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

028110 028100 028070 028060 1:10000 Gauss-Boaga Ovest